


$$\begin{array}{c} \text{C} \text{---} \text{H} \\ | \\ \text{C} \text{---} \text{H} \end{array}$$
[illegible]

$\frac{K}{\sqrt{2\pi}} \int_{-\infty}^{\infty} \frac{e^{-\frac{1}{2}x^2}}{\sqrt{2\pi}} dx = 1$

1. *Phragmites australis* (Cav.) Trin. ex Steud. (Common reed)

[illegible]

Mtoa huduma anaweza kuchukua sampuli za damu, mkojo na ugiligili/tishu nyingine ya mwili (“sampuli za kuchunguzwa”).

Ninamuidhinisha mtoa huduma kúdumisha na kuhifadhi sampuli hizi kwa madhumuni ya sayansi na mafunzo na pia kutekelez vipimo vingine ambavyo havihusiani na matokeo yangu ya uchunguzi wa sampuli hizi. Mtoa huduma anaweza kutupa sampuli hizi apendavyo.

1. $N_1 = N_2 = N_3 = N_4 = 1$

$$\text{N} \sim \frac{\rho}{\mu} \left(\frac{v_{\text{rms}}}{c} \right)^2 \approx 0.06$$




(YANAENDELEA)

(KUENDELEA)

N
C — H — N
C — H — N
M
B
C — H — N
N
C — H — N
M
K
K
M
A
L
N
I
C — H — M - 248.597.2727
C — H — M - 269.982.9300
C — H — M - 877.308.5083

C — H — N C — H —
C — H —
N C — H —
N N
N M () C — H —
C — H —
N C — H —
N C — H —
N N
I C — H —
C — H — ()
H

M
N M D
H
I D
M